

**NOMIX®**

# PostSet®

## Instant Post Hole Concrete


*Now you have alternatives to messy, time-consuming, conventional concrete mixes!*

**NOMIX PostSet Concrete** takes the time and mess out of working with sloppy, all-day setting concrete. It lets you set all kinds of wood, metal and vinyl posts in about five minutes, with no mixing. Just fill your post hole half full with water and add PostSet Instant Post Hole Concrete. PostSet's patented formula goes to work instantly!

With PostSet, every post-setting job becomes a snap!

PostSet is great for any post hole application, including:

- ⇒ Fence Posts
- ⇒ Lamp Posts
- ⇒ Porch and Deck Supports
- ⇒ Gate Posts
- ⇒ Swing Sets
- ⇒ Basketball Goal Posts
- ⇒ Clothesline Posts
- ⇒ Signs



*The World's First and Only Patented Concrete Mix Designed Exclusively for Setting Posts With No Mixing. Set Mailboxes, Fence Posts, and More in About Five Minutes. No Tools, No Mess, No Cleanup, and No Waste!*

**NOMIX<sup>®</sup>**

# PostSet<sup>®</sup>


**Instant Post Hole Concrete**



Here's what you need:

- A Post
- A Hole
- Water
- PostSet<sup>®</sup> instant post hole concrete

**NOMIX PostSet Instant Post Hole Concrete** takes the time and mess out of working with sloppy, all-day setting concrete. It lets you set all kinds of wood, metal and vinyl posts *in about five minutes, with no mixing.*



**1.** Dig hole to recommended specifications. Fill about half full with clean water.

**2.** Place post in hole and pour PostSet directly from the bag at a steady, even rate around the post into the water.\*\* (See page 3)



**3.** Align post to desired position. No bracing is necessary. PostSet will harden in approximately 5 minutes.\*

**4.** Sprinkle water on top of the remaining dry PostSet visible in the hole and tamp the surface to eliminate air cavities. Cover with sod, if desired.



\*\*For hollow posts, pour the PostSet concrete mix into the water in the hole, then insert the post for added stability.

*Ask for NOMIX<sup>®</sup> PostSet<sup>®</sup> by name at your local Building Supply Center or Retail Store. NOMIX makes the only instant concrete products that do not require mixing!*

**NOMIX<sup>®</sup>**

# PostSet<sup>®</sup>

## Instant Post Hole Concrete

**Recommended PostSet Requirements:**

Use the amount of PostSet indicated in the chart below to insure the proper setting of your post. (Approximately one bag of PostSet will set a 4" x 4" post in an 8" x 24" hole.)

Note: One 40 lb. bag yields 0.42 cubic feet.

For 2" Round Posts			
Hole Depth (down)	Hole Width (across)		
	6"	8"	10"
12"	16 lbs.	31 lbs.	50 lbs.
18"	25 lbs.	47 lbs.	75 lbs.
24"	33 lbs.	63 lbs.	100 lbs.
30"	42 lbs.	77 lbs.	120 lbs.
For 3" Round Posts			
12"	14 lbs.	28 lbs.	48 lbs.
18"	21 lbs.	43 lbs.	70 lbs.
24"	28 lbs.	57 lbs.	94 lbs.
30"	35 lbs.	71 lbs.	120 lbs.
For 4" Round Posts			
12"	10 lbs.	25 lbs.	44 lbs.
18"	15 lbs.	37 lbs.	66 lbs.
24"	20 lbs.	49 lbs.	87 lbs.
30"	26 lbs.	62 lbs.	110 lbs.
For 4" x 4" Posts			
12"	9 lbs.	23 lbs.	42 lbs.
18"	12 lbs.	34 lbs.	62 lbs.
24"	16 lbs.	46 lbs.	83 lbs.
30"	20 lbs.	56 lbs.	100 lbs.

**DO NOT MACHINE OR HAND MIX.**

PostSet will harden in 5 minutes.\*

\*At 70°F, PostSet will set in approximately 5 minutes. Cold weather will slightly retard the set time. Hot weather will slightly accelerate the set time.



**Here's what you need:**

- A Post
- A Hole
- Water
- PostSet<sup>®</sup> instant post hole concrete